

Coeur Mining, Inc. New Afton and Rainy River Exploration Drilling Updates																	
Below are recent drill results from the ongoing scout, expansion and infill programs at New Afton and Rainy River. Please see the accompanying press release available on www.coeur.com . For New Afton all intervals over 0.4 % CuEq are included (Cu: Au Conversion 600 : 1 -- validate conversion) For Rainy River all intervals over 1 g/t AuEq are included (Ag : Au Conversion 60 : 1)																	
NEW AFTON																	
			Mineralized Intercepts								Assays						
HOLE ID	Project	Zone / Vein	From (ft)	To (ft)	Length (ft)	Est. True Width (ft)	From (m)	To (m)	Length (m)	Est. True Width (m)	Gold (oz/ton)	Gold (g/t)	Gold Equiv. (g/t)	Copper (%)	Copper Equiv. (%)	Silver (oz/ton)	Silver (g/t)
K-Zone																	
EA25-569B	CNA	Infill Conversion	2,669.9	2,794.6	124.6	116.6	814.0	852.0	38.0	35.6	0.01	0.4	0.7	0.36	0.82	0.04	2
		and	2,912.6	3,198.0	285.4	267.0	888.0	975.0	87.0	81.4	0.04	1.2	2.3	1.14	2.56	0.07	2
		and	3,425.5	3,735.9	310.5	290.5	1,044.4	1,139.0	94.7	88.6	0.03	1.0	2.3	1.44	2.57	0.08	3
EA25-608B	CNA	Infill Conversion	3,240.6	3,299.7	59.0	50.6	988.0	1,006.0	18.0	15.4	0.02	0.5	1.0	0.49	1.09	0.04	1
		and	3,348.9	3,509.6	160.7	137.6	1,021.0	1,070.0	49.0	42.0	0.01	0.4	0.9	0.50	0.99	0.06	2
EA25-614B	CNA	East Picrite	2,041.8	2,089.4	47.6	30.7	622.5	637.0	14.5	9.3	0.02	0.7	1.2	0.50	1.33	0.05	2
		and	2,173.6	2,223.8	50.2	32.4	662.7	678.0	15.3	9.9	0.02	0.6	1.0	0.44	1.1	0.04	1
		and	2,273.0	2,405.9	132.8	85.6	693.0	733.5	40.5	26.1	0.02	0.8	1.4	0.71	1.61	0.06	2
		and	2,569.6	2,820.8	251.2	161.9	783.4	860.0	76.6	49.4	0.01	0.5	1.1	0.67	1.23	0.05	2
EA26-622	CNA	Infill Conversion	2,889.7	3,421.0	531.4	428.1	881.0	1,043.0	162.0	130.5	0.01	0.5	1.0	0.53	1.08	0.04	1
EA26-622C	CNA	Infill Conversion	2,899.5	3,217.7	318.2	264.7	884.0	981.0	97.0	80.7	0.02	0.6	1.4	0.89	1.59	0.08	3
		and	3,436.0	3,512.9	76.9	64.0	1,047.6	1,071.0	23.5	19.5	0.02	0.6	1.5	0.98	1.67	0.10	3
EA26-623	CNA	East Picrite	777.4	905.3	127.9	97.8	237.0	276.0	39.0	29.8	0.02	0.7	1.6	1.00	1.87	0.10	3
		and	1,636.7	2,171.4	534.6	408.7	499.0	662.0	163.0	124.6	0.03	1.1	2.3	1.25	2.55	0.09	3
EA26-624	CNA	K-Zone West	2,312.4	3,054.3	741.9	576.6	705.0	931.2	226.2	175.8	0.01	0.5	1.3	0.88	1.48	0.07	3
EA26-624E	CNA	Infill Conversion	2,683.0	2,838.7	155.6	126.4	818.0	865.5	47.5	38.6	0.01	0.4	0.8	0.45	0.89	0.04	1
EA26-625	CNA	K-Zone West	911.8	1,167.7	255.8	90.5	278.0	356.0	78.0	27.6	0.03	0.9	1.3	0.48	1.49	0.04	1
		and	1,351.4	1,508.8	157.4	55.7	412.0	460.0	48.0	17.0	0.05	1.6	2.9	1.45	3.31	0.10	3
		and	1,581.0	1,733.2	152.2	53.8	482.0	528.4	46.4	16.4	0.02	0.6	1.4	0.83	1.57	0.07	2
EA26-626	CNA	Infill Conversion	1,400.6	1,656.4	255.8	133.9	427.0	505.0	78.0	40.8	0.03	1.0	2.1	1.15	2.33	0.05	2
		and	1,953.2	2,063.1	109.9	57.5	595.5	629.0	33.5	17.5	0.01	0.3	0.7	0.40	0.79	0.02	1
		and	2,111.1	2,322.2	211.1	110.5	643.6	708.0	64.4	33.7	0.01	0.4	1.1	0.74	1.26	0.06	2
EA26-627	CNA	K-Zone West	1,337.1	1,417.0	79.9	38.4	407.7	432.0	24.4	11.7	0.01	0.2	0.5	0.31	0.53	0.02	1
EA26-628	CNA	K-Zone West	830.3	1,007.0	176.6	78.4	253.2	307.0	53.9	23.9	0.01	0.2	0.4	0.26	0.51	0.03	1
		and	1,305.4	1,480.3	174.8	77.6	398.0	451.3	53.3	23.6	0.02	0.6	1.6	1.15	1.86	0.08	3
EA26-629	CNA	Infill Conversion	1,190.6	1,802.0	611.4	324.6	363.0	549.4	186.4	99.0	0.04	1.5	2.6	1.28	2.96	0.08	3
		and	1,991.0	2,060.2	69.2	36.7	607.0	628.1	21.1	11.2	0.01	0.4	1.0	0.63	1.12	0.03	1
		and	2,206.8	2,315.7	108.9	57.8	672.8	706.0	33.2	17.6	0.02	0.5	0.9	0.44	1.05	0.03	1
EA26-630	CNA	East Picrite	No significant intercepts - did not complete to targeted depth														
EA26-630B	CNA	East Picrite	1,453.0	1,750.6	297.6	210.4	443.0	533.7	90.7	64.1	0.03	1.1	2.3	1.36	2.64	0.09	3
EA26-631	CNA	K-Zone West	1,021.1	1,312.0	290.9	86.2	311.3	400.0	88.7	26.3	0.05	1.8	3.5	1.84	3.95	0.13	5
		and	2,084.6	2,305.8	221.2	65.6	635.6	703.0	67.5	20.0	0.02	0.6	1.8	1.26	1.98	0.09	3
EA26-632	CNA	K-Zone West	1,030.7	1,275.9	245.2	100.8	314.3	389.0	74.8	30.7	0.02	0.7	1.3	0.69	1.48	0.05	2
		and	1,371.0	1,462.9	91.8	37.8	418.0	446.0	28.0	11.5	0.01	0.3	0.8	0.51	0.93	0.05	2
EA26-633	CNA	Infill Conversion	No significant intercepts - did not complete to targeted depth														
EA26-634	CNA	Infill Conversion	No significant intercepts														
EA26-635	CNA	Infill Conversion	762.9	954.5	191.6	129.5	232.6	291.0	58.4	39.5	0.02	0.6	2.0	1.57	2.29	0.14	4.8
EA26-636	CNA	East Picrite	No significant intercepts														
EA26-637	CNA	K-Zone West	No significant intercepts														
EA26-638	CNA	Infill Conversion	2,314.2	3,161.8	847.6	593.9	705.6	964.0	258.4	181.1	0.01	0.5	1.0	0.58	1.12	0.05	2
EA26-638C	CNA	Infill Conversion	2,347.7	2,845.4	497.7	360.3	715.8	867.5	151.8	109.8	0.01	0.5	1.3	0.92	1.45	0.06	2
EA26-639	CNA	Infill Conversion	2,925.8	3,329.2	403.4	312.0	892.0	1,015.0	123.0	95.1	0.01	0.2	0.7	0.60	0.84	0.04	2
EA26-639C	CNA	Infill Conversion	2,930.4	3,345.0	414.7	326.8	893.4	1,019.8	126.4	99.6	0.03	1.0	2.0	1.14	2.28	0.08	3
EA26-640	CNA	East Picrite	1,626.9	1,800.7	173.8	129.5	496.0	549.0	53.0	39.5	0.01	0.3	0.5	0.25	0.62	0.02	1
		and	1,897.4	2,199.7	302.3	225.3	578.5	670.7	92.2	68.7	0.03	1.0	2.3	1.49	2.62	0.06	2
EA26-641	CNA	K-Zone West	1,133.7	1,375.0	241.3	77.5	345.6	419.2	73.6	23.6	0.06	2.0	3.8	2.00	4.27	0.14	5
		and	2,088.7	2,429.6	340.9	109.5	636.8	740.7	103.9	33.4	0.01	0.3	1.1	0.77	1.19	0.07	2
EA26-642	CNA	Northern Diorite	No significant intercepts														
EA26-643	CNA	Infill Conversion	2,696.2	2,817.4	121.2	87.1	822.0	859.0	37.0	26.6	0.01	0.4	1.2	0.83	1.36	0.06	2
EA26-644	CNA	K-Zone West	1,167.7	1,439.9	272.2	108.6	356.0	439.0	83.0	33.1	0.04	1.5	2.7	1.40	3.09	0.09	3
EA26-646	CNA	Infill Conversion	2,510.0	3,394.8	884.8	683.2	765.3	1,035.0	269.8	208.3	0.01	0.4	0.9	0.51	0.97	0.04	1
EA26-647	CNA	North Diorite	No significant intercepts														
EA26-648	CNA	K-Zone West	1,312.0	1,397.3	85.3	47.5	400.0	426.0	26.0	14.5	0.02	0.6	1.2	0.66	1.39	0.05	2
EA26-650	CNA	Infill Conversion	2,594.5	3,231.2	636.7	497.5	791.0	985.1	194.1	151.7	0.01	0.5	1.1	0.65	1.2	0.06	2
		and	3,332.5	3,432.5	100.0	78.2	1,016.0	1,046.5	30.5	23.8	0.02	0.6	1.4	0.81	1.56	0.05	2
EA26-652	CNA	K-Zone West	1,255.7	1,354.0	98.2	33.2	382.9	412.8	30.0	10.1	0.01	0.4	0.6	0.23	0.71	0.02	1
		and	1,476.0	1,747.9	271.9	92.0	450.0	532.9	82.9	28.0	0.01	0.5	1.1	0.68	1.25	0.06	2
EA26-653	CNA	K-Zone West	No significant intercepts														
EA26-654	CNA	Infill Conversion	2,543.6	3,373.7	830.1	670.9	775.5	1,028.6	253.1	204.5	0.01	0.4	0.8	0.42	0.91	0.02	1
EA26-655	CNA	K-Zone West	1,075.2	1,398.9	323.7	163.8	327.8	426.5	98.7	49.9	0.01	0.3	0.5	0.13	0.51	0.01	0
		and	1,581.0	1,699.0	118.1	59.7	482.0	518.0	36.0	18.2	0.01	0.2	0.4	0.17	1.57	0.01	0
EA26-657	CNA	K-Zone West	1,790.9	1,925.4	134.5	113.2	546.0	587.0	41.0	34.5	0.03	1.1	2.1	1.09	2.41	0.05	2
		and	2,201.4	2,445.3	244.0	205.3	671.2	745.5	74.4	62.6	0.02	0.7	1.3	0.74	1.51	0.05	2
EA26-658	CNA	K-Zone West	No significant intercepts														
EA26-659	CNA	K-Zone West	2,006.4	2,305.8	299.5	249.8	611.7	703.0	91.3	76.2	0.02	0.7	2.2	1.74	2.51	0.08	3

Coeur Mining, Inc. Rainy River Exploration Drilling Updates														
Below are recent drill results from the ongoing scout, expansion and infill programs at Rainy River. Please see the accompanying press release available on www.coeur.com . All inervals over 1.4 g/t AuEq for the underground targets and 0.4 g/t for the open pit targets are included (Ag:Au Conversion 2500 : 30 based on SK1300 resource gold and silver price)														
RAINY RIVER														
			Mineralized Intercepts								Assays			
HOLE ID	Project	Zone / Vein	From (ft)	To (ft)	Length (ft)	Est. True Width (ft)	From (m)	To (m)	Length (m)	Est. True Width (m)	Gold (oz/ton)	Gold (g/t)	Silver (oz/ton)	Silver (g/t)
Underground Main														
RR25-2068-W1	UGM		No Significant Intercepts											
RR25-2073B	UGM	ODMM	2,873.2	2,896.4	23.23	21.54	875.75	882.83	7.08	6.56	0.06	1.8	0.09	3
RR25-2073B	UGM	ODMM	2,924.9	2,938.1	13.19	12.23	891.50	895.52	4.02	3.73	0.07	2.3	0.06	2
RR25-2075	UGM	ODMM	3,018.4	3,028.2	9.84	8.92	920.00	923.00	3.00	2.72	0.06	1.9	0.11	4
RR25-2075	UGM	ODMM	3,066.1	3,093.8	27.72	25.13	934.55	943.00	8.45	7.66	0.13	4.0	0.15	5
RR25-2076	UGM	ODMM	2,580.4	2,590.2	9.84	9.31	786.50	789.50	3.00	2.84	0.11	3.5	0.03	1
RR25-2076	UGM	ODMM	2,634.5	2,673.9	39.37	37.23	803.00	815.00	12.00	11.35	0.07	2.1	0.06	2
RR25-2081-W1	UGM	ODMM	2,903.3	2,921.6	18.31	17.09	884.92	890.50	5.58	5.21	0.11	3.6	0.06	2
RR25-2081-W1	UGM	ODMM	3,069.2	3,080.7	11.48	10.72	935.50	939.00	3.50	3.27	0.41	12.9	0.11	3
RR25-2081-W1	UGM	ODMM	3,103.7	3,126.6	22.97	21.44	946.00	953.00	7.00	6.54	0.08	2.6	0.08	3
RR25-2082	UGM		No Significant Intercepts											
RR25-2089	UGM	ODMM	2,462.3	2,482.0	19.69	17.84	750.50	756.50	6.00	5.44	0.06	1.9	0.12	4
RR26-2107	UGM	CAP	2,759.2	2,777.2	18.04	17.87	841.00	846.50	5.50	5.45	0.11	3.3	0.41	13
RR26-2107	UGM	ODM Footwall	4,061.7	4,071.5	9.84	9.63	1238.00	1241.00	3.00	2.93	0.07	2.3	0.24	8
RR26-2111	UGM		No Significant Intercepts											
RR26-2111-W1	UGM		No Significant Intercepts											
RR26-2113	UGM	CAP	2,693.6	2,704.8	11.19	11.16	821.00	824.41	3.41	3.40	0.10	3.0	0.24	8
RR26-2113	UGM	ODMM	3,554.8	3,574.5	19.69	19.49	1083.50	1089.50	6.00	5.94	0.05	1.6	0.18	6
RR26-2113	UGM	ODMM	3,638.5	3,682.7	44.29	43.86	1109.00	1122.50	13.50	13.37	0.06	1.8	0.02	1
RR26-2113-W1	UGM		No Significant Intercepts											
RR26-2115	UGM	ODMM	3,586.1	3,608.9	22.87	22.70	1093.03	1100.00	6.97	6.92	0.06	1.8	0.06	2
RR26-2116	UGM	ODMM	3,278.1	3,289.0	10.96	10.92	999.16	1002.50	3.34	3.33	0.09	2.9	0.39	12
RR26-2119B	UGM	ODMM	3,738.9	3,756.6	17.68	17.55	1139.61	1145.00	5.39	5.35	0.09	2.7	0.07	2
RR26-2119B	UGM	ODMM	3,855.0	3,881.7	26.74	26.54	1175.00	1183.15	8.15	8.09	0.48	14.8	0.10	3
		Including	3,864.8	3,872.0	7.22	7.16	1178.00	1180.20	2.20	2.18	1.70	52.8	0.25	8
RR26-2122A	UGM	ODMM	3,710.6	3,733.6	23.00	22.77	1131.00	1138.01	7.01	6.94	0.07	2.2	0.20	6
RR26-2122A	UGM	ODMM	3,835.3	3,845.1	9.84	9.75	1169.00	1172.00	3.00	2.97	0.07	2.3	0.03	1
RR26-2108	UGM	ODME	3,859.9	3,869.8	9.84	9.81	1176.50	1179.50	3.00	2.99	0.07	2.2	0.06	2
RR26-2108-W1	UGM	ODME	3,795.9	3,808.6	12.63	12.36	1157.00	1160.85	3.85	3.77	0.08	2.4	0.27	8
RR26-2108-W1	UGM	ODME	3,887.9	3,899.3	11.35	11.10	1185.04	1188.50	3.46	3.38	0.05	1.5	0.07	2
RR26-2108-W2	UGM	ODME	3,604.4	3,623.7	19.26	18.97	1098.63	1104.50	5.87	5.78	0.12	3.6	0.21	7
		Including	3,604.4	3,608.9	4.49	4.43	1098.63	1100.00	1.37	1.35	0.35	11.0	0.20	6
RR26-2108-W2	UGM	ODME	3,781.8	3,795.9	14.11	13.89	1152.70	1157.00	4.30	4.23	0.05	1.7	0.34	11
RR26-2112	UGM	ODME	3,658.1	3,671.3	13.12	12.79	1115.00	1119.00	4.00	3.90	0.05	1.4	0.17	5
RR26-2112	UGM	ODME	3,786.1	3,795.9	9.84	9.59	1154.00	1157.00	3.00	2.92	0.05	1.6	0.21	7
RR26-2112	UGM	ODME	3,858.4	3,869.8	11.35	11.06	1176.04	1179.50	3.46	3.37	0.12	3.7	0.11	3
		Including	3,858.4	3,861.7	3.28	3.20	1176.04	1177.04	1.00	0.97	0.37	11.4	0.24	7
RR26-2112-W2	UGM	ODME	3,589.2	3,603.6	14.34	14.07	1094.00	1098.37	4.37	4.29	0.33	10.3	0.16	5
		Including	3,599.1	3,603.6	4.49	4.41	1097.00	1098.37	1.37	1.34	0.99	30.9	0.44	14
RR26-2112-W2	UGM	ODME	3,733.4	3,751.3	17.98	17.65	1137.93	1143.41	5.48	5.38	0.06	1.9	0.10	3
RR26-2112-W2	UGM	ODME	3,827.4	3,840.2	12.80	12.56	1166.60	1170.50	3.90	3.83	0.12	3.6	0.05	2
RR26-2117	UGM	ODME	3,390.2	3,402.2	12.01	11.79	1033.34	1037.00	3.66	3.59	0.06	1.9	0.10	3
RR26-2117	UGM	ODME	3,628.6	3,638.5	9.84	9.66	1106.00	1109.00	3.00	2.94	0.06	1.7	0.04	1
RR26-2117	UGM	ODME	3,664.4	3,674.5	10.17	9.98	1116.90	1120.00	3.10	3.04	0.07	2.1	0.07	2
RR26-2120	UGM	ODME	3,900.9	3,917.3	16.40	16.10	1189.00	1194.00	5.00	4.91	0.05	1.6	0.20	6
RR26-2123	UGM	ODME	3,730.3	3,756.6	26.25	25.76	1137.00	1145.00	8.00	7.85	0.35	10.8	0.15	5
RR26-2123	UGM	ODME	3,790.3	3,801.2	10.96	10.76	1155.28	1158.62	3.34	3.28	0.09	2.7	0.03	1
		Including	3,730.3	3,736.9	6.56	6.44	1137.00	1139.00	2.00	1.96	1.32	41.2	0.50	15
RR25-2077	UGM	Zone 17	2,820.7	2,841.2	20.51	19.01	859.75	866.00	6.25	5.79	0.10	3.0	0.50	15
RR25-2080	UGM	Zone 17	2,791.3	2,811.7	20.34	18.28	850.80	857.00	6.20	5.57	0.05	1.6	0.98	31
RR25-2080-W1	UGM	Zone 17	2,796.9	2,816.6	19.69	18.50	852.50	858.50	6.00	5.64	0.05	1.7	0.66	21
RR25-2002-W1	UGM		No Significant Intercepts											
RR25-2031-W1	UGM	Zone 17	3,067.6	3,092.2	24.61	20.16	935.00	942.50	7.50	6.14	0.07	2.2	0.07	2
RR25-2031-W1	UGM	Zone 17	3,254.6	3,269.4	14.76	12.09	992.00	996.50	4.50	3.69	0.07	2.2	0.11	3
RR25-2091A	UGM	Zone 17	3,045.1	3,061.6	16.50	12.82	928.14	933.17	5.03	3.91	0.07	2.2	0.59	18
RR26-2109	UGM	Zone 17	4,425.9	4,465.2	39.37	38.20	1349.00	1361.00	12.00	11.64	0.06	1.8	0.11	3
RR26-2109-W1	UGM	Zone 17	4,358.6	4,393.0	34.45	34.32	1328.50	1339.00	10.50	10.46	0.18	5.6	0.04	1
		Including	4,358.6	4,363.5	4.92	4.90	1328.50	1330.00	1.50	1.49	1.03	32.1	0.19	6
RR26-2110	UGM	Zone 17	4,183.1	4,194.2	11.12	10.58	1275.00	1278.39	3.39	3.22	0.12	3.7	4.16	129
		Including	4,183.1	4,185.9	2.85	2.71	1275.00	1275.87	0.87	0.83	0.38	11.7	15.66	487
RR26-2110-W1A	UGM	Zone 17	4,432.4	4,452.1	19.69	19.01	1351.00	1357.00	6.00	5.80	1.40	43.6	0.41	13
		Including	4,447.2	4,452.1	4.92	4.75	1355.50	1357.00	1.50	1.45	5.30	165.0	0.28	9
RR26-2110-W1A	UGM	Zone 17	4,471.8	4,481.6	9.84	9.51	1363.00	1366.00	3.00	2.90	0.07	2.1	0.06	2
RR26-2110-W2	UGM		No Significant Intercepts											
RR26-2114	UGM	Zone 17	4,470.1	4,489.8	19.69	19.25	1362.50	1368.50	6.00	5.87	0.05	1.5	0.39	12
RR26-2118A	UGM		No Significant Intercepts											
RR26-2121	UGM	Zone 17	4,357.0	4,371.7	14.76	14.62	1328.00	1332.50	4.50	4.46	0.05	1.5	0.06	2
RR25-2084A	UGM	114 Deep	2,354.0	2,403.2	49.21	46.53	717.50	732.50	15.00	14.18	0.07	2.2	0.05	2
RR25-2084-W1	UGM		No Significant Intercepts											
RR25-2093	UGM		No Significant Intercepts											
RR25-2096	UGM	114 Deep	2,445.6	2,460.4	14.86	14.48	745.41	749.94	4.53	4.41	0.08	2.4	1.18	37

Intrepid (UG)														
RRUG25-0025	INT							No Significant Intercepts						
RRUG25-0026	INT							No Significant Intercepts						
RRUG25-0027	INT							No Significant Intercepts						
RRUG25-0028	INT							No Significant Intercepts						
RRUG25-0029	INT	Intrepid	772.6	792.3	19.69	18.25	235.50	241.50	6.00	5.56	0.05	1.7	0.58	18
RRUG25-0030	INT	Intrepid	738.2	754.6	16.40	15.60	225.00	230.00	5.00	4.76	0.09	2.8	0.92	29
RRUG25-0031	INT	Intrepid	918.9	931.8	12.86	10.40	280.08	284.00	3.92	3.17	0.12	3.8	0.08	2
	INT	Intrepid	928.5	931.8	3.28	2.65	283.00	284.00	1.00	0.81	0.43	13.5	0.17	5
RRUG25-0032	INT	Intrepid	949.8	963.5	13.65	9.65	289.50	293.66	4.16	2.94	0.10	3.1	0.26	8
RRUG25-0032	INT	Intrepid	999.0	1,013.8	14.76	10.44	304.50	309.00	4.50	3.18	0.07	2.3	0.22	7
RRUG25-0033	INT	Intrepid	856.3	871.1	14.76	12.09	261.00	265.50	4.50	3.69	0.13	4.2	0.32	10
RRUG26-0034	INT	Intrepid	979.3	1,008.9	29.53	19.37	298.50	307.50	9.00	5.90	0.08	2.6	0.30	9
NW Trend - Phase 5 Extension (OP)														
RC26-001	OP EXP							Did not reach target						
RC26-004	OP EXP							No Significant Intercepts						